

This project is financed by the European Union



Technical Assistance for the Deployment of Smart and Sustainable Mobility in the Western Balkans

CONNECTA-TRA-CRM-REG-MOB-07

Rail Technical Committee 1/12/2022, Brussels

Resilience for the rail sector in the Western Balkans Author: CONNECTA

> M MOTT MACDONALD CONNECTA CONSORTIUM

www.connecta-info.eu


- 1. Introduction
- 2. Methodologies
- 3. Technical Solutions for the rail sector
- 4. EU Framework
- 5. Best Practices
- 6. Conclusions





Introduction - the bad news


Climate change is omnipresent. All projections are predicting sea level raise, ice retreat, temperature and precipitation increase. Consequently, risk increases in time.




We are filling it not only through weather extremes and singularities, but indirectly:

- agriculture
- industry
- transportation
- linked natural processes
- ...









source: <u>https://www.ipcc.ch/</u>

The Western Balkans region is no exception to the climate change witnessed in several extreme events (source <u>https://public.emdat.be/data</u>) in the past decade:

- Croatia flooding 2010, 2014 (0.1 bil. \$ damage)
- B&H flooding 2010 and flooding and landsliding 2014 (0.5 bil. \$ damage)
- Serbia flooding and landsliding 2014 (2.3 bil. \$ damage)
- North Macedonia flooding 2013 and 2016
- Sporadic but frequent rockfall events in Montenegro, Serbia, N. Macedonia, Croatia







Introduction – the impact on transport infrastructure


- Over the last decade, **climate resilience** in the context of infrastructure is becoming one of the major considerations and areas of combating against climate change impacts.
- According to the <u>Climate-Resilient Infrastructure Officer Handbook</u>, climate-related shocks and stresses are **increasing in frequency and magnitude**, causing damages to infrastructure systems and disruptions in the provision of services. Yet there is **not sufficient investment** needed to infrastructure systems' climate resilience.
- Worldwide, all types of infrastructure will be affected by negative climate impacts and therefore will be exposed to variety of risks. Increasing its resilience to these impacts will have a crucial role in avoiding substantial direct and indirect economic and financial damages.
- Climate change risks fall into two categories:
 - **Chronic stresses** Hazards due to long-term changes in average climatic conditions, which are typified by their slow onset occurrence.
 - Acute shocks Hazards due to extreme weather events.





Introduction - Rail heavily suffers from climate related natural hazards

- 1. High temperature
- 2. Low temperature
- 3. High precipitation
- 4. Low precipitation
- 5. High winds
- 6. Lightning and electrical storms
- 7. High see levels and storm surges



- Track
- Signaling
- Overhead Wiring
- Railway Civils (concerning trackside embankments, cuttings, drainage systems and vegetation)
- Railway Structures (track-carrying structures including bridges, tunnels, viaducts and culverts)







To enable transportation infrastructure to adapt to climate change and minimize the impact of extreme weather events, it is important to understand how railways are planned and managed and to identify weaknesses and strengths in dealing with climate change.

The most cost-efficient way to achieve this is to perform Risk Based Asset Management. This includes:


- 1. Identifying scope, variables, risks and data with the focus on climate change scenarios for the given territory and exposure and sensitivity analysis of rail assets to climate change.
- 2. Assessing and prioritizing risks. This stage includes vulnerability analysis carried out to identify critical elements of rail infrastructure.
- 3. Developing and selecting adaptation responses and strategies (risk mitigation measures). This stage outlines the identification, selection and prioritization of adaptation responses identified within stages 1 and 2.
- 4. Integrating results into decision making processes. Namely, the results of the stages 1-3 should be effectively incorporated into asset management and investment plans, traffic management strategies and other strategic documents and standards.





Methodologies – framework for risk-based assessment










Methodologies – assessing the asset performance loss




N

CONNECTA CONSORTIUM

MACDONALD

Methodologies – sensitivity and vulnerability analysis

Risk = <probability of adverse event> X <consequences>



N

MACDONALD CONNECTA CONSORTIUM

MOTT

* * * * * Th * * the

Climate hazards			
Greater frequency and intensity of extreme events -> extreme rainfall events, floods, landslides.	Rise in average temperatemperatures -> higher temperatures -> higher temperatures		Variability of seasonal rainfall patterns -> longer dry seasons, drought.
	Expo	osure	
River flooding . The exposure to river floo Macedonia is classified as HIGH , which m damaging and life-threatening river floods least once in the next 10 years.	eans that potentially	as MEDIUM, which	sure to drought hazard is classified means that there is up to a 20% chance that in the coming 10 years.
Landslides . The landslide susceptibility of North Macedonia is classified as HIGH , which means that this area has rainfall patterns, terrain slope, geology, soil, land cover and that make localized landslides a frequent hazard phenomenon.		Extreme heat . The exposure to extreme heat hazard is classified as MEDIUM , which means that there is more than a 25% chance that at least one period of prolonged exposure to extreme heat, resulting in heat stress, will occur in the next five years.	
Vulnerability			
Sensitivity . (1) Limited capacity of water of urban areas to accommodate high volume periods. (2) Inadequate construction mate integration of risk-informed design options	of rainfall in short rials and limited	forecasts into mean protect infrastructur	1) Limited capacity of key agencies to translate ingful guidance and anticipatory actions to e during extreme events. (2) Insufficient legal e risk-informed infrastructure design.





Technical Solutions for the rail sector – type of measures


- The defining characteristic of climate-resilient infrastructure is that it is planned, designed, built and operated in a way that anticipates, prepares for, and adapts to changing climate conditions. It can also withstand, respond to, and recover rapidly from disruptions caused by these climate conditions. (<u>OECD</u>)
- Given the context-specific nature of climate adaptation, the measures used to achieve this will vary widely. In general, there are two broad categories of adaptation measures in this context:
 - **Structural adaptation measures**: e.g., changing the composition of rail tracks so that they do not deform in high temperatures, building seawalls or using different type of materials to offset heavy rainfalls.
 - **Management (or non-structural) adaptation measures**: e.g., changing the timing of maintenance to account for changing patterns of energy demand and supply, investment in early warning systems or purchasing insurance to address financial consequences of climate variability.





Technical Solutions for the rail sector – resilience

- Resilience is defined as the ability of a rail organization to provide services effectively and sustainably as the climate changes.
- It is a long-term holistic perspective of any threat to the functionality of the transport system.
- Improving resilience means:
 - increasing the ability of infrastructure to withstand potential threats
 - the capability of the system to rapidly recover from disruptive events.



This also includes elements of Robustness - the ability to resist disruption;





Technical Solutions for the rail sector - High temperature measures

Rail infrastructure impact	Current adaptation measures
Rail buckling and/or associated misalignment problems	Change rail installation procedure to increase temperature threshold for thermal expansion
	Replacement of jointed track with continuously welded rail
	Upgrade timber switches and crossings to concrete
	Painting rails white in areas of known high risk to thermal expansion in direct sunlight
Expansion of moveable assets such as	Sprinkler systems
swing bridges hindering operation	Replacement of bridges with heat resistant materials with lower thermal expansion coefficient
General increase in failure rate of assets in high temperatures	Use of coolers, fans and air conditioning to improve tolerance of signalling equipment
	Double-skinned equipment casing to assist cooling
	Sun hoods to deflect heat
Sagging of the overhead line equipment	Removal of fixed termination overhead line equipment
	Improved balance weight and head span technologies
Increased fire risk	Vegetation management along tracks
	Establishment of tree-free zones in rail corridor





Technical Solutions for the rail sector - Low temperature measures

Rail infrastructure impact	Current adaptation measures
Rail breaks, cracks and/or associated misalignment problems	Change rail installation procedure to increase temperature threshold for thermal expansion
Snow blocking tracks obscuring signals and preventing train contact with conductor rails on 'third rail' networks	Use of signal hoods to prevent build-up of snow
	Potential heating of conductor rails
	Points heater installation
Ice-jam flooding damaging infrastructure, particularly bridges	Installation of dams, ice booms, ice-retention structures, dykes, or various channel modifications





Technical Solutions for the rail sector - High & low precipitation measures

High precipitation - Rail infrastructure impact	Current adaptation measures
Standing water fouling track ballast	Expanding drainage capacity for infrastructure including culvert size, design for new flood event thresholds
	Increasing maintenance including clearing debris from culverts to reduce flooding
	Installation of emergency culverts
	Installation of pumped drainage solutions

Low precipitation - Rail infrastructure impact	Current adaptation measures	
Increased risk of earthworks failures due to desiccation	De-vegetation programmes	
	Re-ballasting and tamping interventions	





Technical Solutions for the rail sector - High winds & lightning measures

High winds - Rail infrastructure impact	Current adaptation measures
Increased risk of leaf fall leading to low track adhesion and damaged trees and debris falling onto track	Devegetation programmes
	Establishment of tree-free zones in rail corridor
Excessive wind loading on structures such as masts and towers	Strengthening of existing equipment, build in resilience to design of new equipment
	Improved overhead wire tensioning systems
Significant wave formation causing damage to the track	Elevate infrastructure
	Improved flood defences
Increased risk of damage to bridges in high winds	Use of guide vanes
	Install damping devices
Lightning & electrical storms -Rail infrastructure impact	Current adaptation measures
Damage to buildings and structures from lightning strikes	Install lightning conductors
	Fitment of surge protection
Forest fires caused by lightning and damage to lineside trees from lightning strikes	Establishment of tree-free zones in rail corridor





Technical Solutions for the rail sector - High sea levels measures

Rail infrastructure impact	Current adaptation measures
Coastal erosion of earthworks, structures and track	Elevate infrastructure
	Install rock armour
Seawater inundation of earthworks, structures and track	Elevate infrastructure
	Raise sea walls
Damage to sea walls	Flood defences designed for new floor event thresholds
	Install rock armour





EU Framework

- Candidates for European Union (EU) membership commit to transposing the EU legal framework into its national legal system. At the EU level, the umbrella document related to adaptation to climate change is the new EU Strategy on Adaptation to Climate Change, amending the <u>EU Strategy on</u> <u>Adaptation to Climate Change</u> enacted in 2013.
- The new Strategy was adopted in 2021. It sets out how the European Union can adapt to the unavoidable impacts of climate change and become climate resilient by 2050. It is largely focused on **investing in resilient, climate-proof infrastructure**. It states that in order to minimise the risk of disasters and be cost-effective over its lifetime, infrastructure investments should be climate resilient.
- The EC developed extensive climate proofing guidance for new major infrastructure projects called <u>Technical guidance on the climate proofing of infrastructure in the period 2021-2027</u>. These guidelines provide comprehensive recommendations on how to integrate the climate vulnerability and risk assessment from the beginning of the project development process.
- The EU taxonomy (Regulation (EU) 2020/852) represents a new comprehensive classification system for standardising "green" economic activities and is primarily designed for use in the financial sector. It consists of six main environmental objectives, that are simultaneously tested for an investment/measure.





Do No Significant Harm assessment for EU-funded projects – in line with the EU Taxonomy

- 2 step process to ensure that climate change impacts are incorporated and ensure that investments / policies are not "mal-adaptation":
 - Does the action require a thorough assessment of the measure in terms of the 'Do no significant harm' principle?
 - Is the measure expected to lead to an increased adverse impact of the current climate and the expected future climate on the measure itself or on humans, nature or property?
- Additional questions related to water resources, climate change mitigation, etc. with guidance on all aspects being currently drafted by the European Commission
- EU Taxonomy information here: <u>https://finance.ec.europa.eu/sustainable-finance/tools-and-standards/eu-taxonomy-sustainable-activities_en</u>
- Do No Significant Harm approach described here: <u>https://ec.europa.eu/info/sites/default/files/2021_02_18_epc_do_not_significant_harm_-</u> <u>technical_guidance_by_the_commission.pdf</u>





Best Practices - 1

- Based on Western Balkans Investment Framework (WBIF) Grants for Technical Assistance Guidelines issued in January 2021, which defines eligibility criteria for the projects to be financed, tracking climate finance commitments is a responsibility of donors or financiers, not of the Beneficiaries. In this context, the assessment of contributions to climate finance (mitigation and adaptation) examines whether climate change is the principal objective of a project, one of the (significant) objectives or it is not an objective at all.
- The grant application should provide information on potential contribution of the project to **GHG emissions reduction** and assessment of climate risks, including the measures that would improve the climate resilience of the project.

Parameter	Elaboration
Average temperature rises and increased risk of	Regions where average temperature is already high;
heat waves	• Urban centres, where the 'urban heat island effect' will exacerbate high temperatures;
	Regions with limited freshwater supplies.
Mean sea level rise, coastal flooding and erosion	Coastal areas and islands.
	Regions where rainfall is already scarce;
Description of the second state of the first state of the second s	 Locations where current demand for water almost matches supply or outstrips;
Decreased seasonal precipitation, increased risks	Locations where water quality is poor;
of drought, wildfire	Regions prone to wildfire;
	Trans-boundary river basins where tensions over water use already exist
	Regions with high rainfall;
	• Estuaries, deltas, river floodplains;
Increased seasonal precipitation and more rapid snow melt – increased risk of river flooding, flash	Mountainous regions;
floods, or soil erosion	Locations prone to landslips;
	• Urban centres with storm water systems not designed to manage intense rainstorms;
	Contaminated environments (land, water).
Possible increase in storm intensity and	Areas at risk of storms;
frequency	Urban centres at risk from storms.





Best Practices - 2

Operators in the UK shall carry out **climate change risk assessment for each new environmental permit application** (for certain installations and projects), if they expect to operate for more than 5 years. When completing the permit application form, they must calculate their **climate change risk test result**.

The screening tool - three questions to which there are different answers with different weights. A combined score of five or more requires the operator to complete and submit a climate change risk assessment as part of the application form. If the screening result is lower than five, the operator does not need to submit his risk assessment with the application form, but must still keep it as part of his environmental management system.

The next step for the operator is to find measures to manage the significant risks identified. These measures could:

- manage risk by introducing control measures to address climate change hazard, its impact on business or environmental impact
- risk transfer, such as insurance
- eliminate the risk, for example by changing the hazard elimination procedure

The UK Environment Agency provides examples in the sectoral guides for climate change risk assessment, which can guide operators in developing their climate adaptation plans.





Enhancing Environmental Performance and Climate Proofing of Infrastructure Investments in the Western Balkan Region from an EU integration perspective" (<u>CLIMAPROOF</u>)

The project CLIMAPROOF was financed by the Austrian Development Cooperation (ADC) and implemented by UNEP (2017-2021).

ClimaProof aimed to increase technical capacities of the relevant national authorities in the field of climate proofing of infrastructure and green infrastructure.


For large infrastructural projects detailed and specific climate projections during the planning phase will be prepared which will allow integration of adaptation measures in both the planning and realisation phase, thus maximizing resilience to climate variability and extreme weather events.





Best Practices - 4

Ministry of Transport in Vietnam has carried out a risk assessment of climate related hazards, including an update of the design standards, operations, and a global disaster risk management system.







Conclusions

- At the regional level it is needed to identify main gaps and set strategies to overcome them.
- In case of natural hazards and climate change, it is essential to include expert groups capable of delivering primary inputs for all subsequent assessments.
- Climate related methodology needs to enter legislation after reaching overall consensus, and after being given a positive feedback from the end-users.
- Railway Undertakings need to have long term plans (5y) and can incorporate strategies towards database generation, digitization, automation etc...and global asset management!
- Even though more expensive, long-term solutions and planning should be encouraged
- An investment today needs to be compared to loss avoided in the future
- Multiple benefits are also crucial for prioritizing investments, which also requires networking with potentially interested groups





Seth Landau

Sustainability expert, Component 1 Co-Leader E. <u>seth@ecoltdgroup.com</u> Mob/WhatsApp/Viber: +385 91 9033666 Skype: seth.landau

Danijel Vučković

Project Manager

E. danijel.vuckovic@connecta-ta.eu

M. +381 (0)60 63 555 00

Skype: vuckopk79





Questions and Discussion



Any comments/suggestions?







This project is financed by the European Union

CONNECTA

Thank you!

CONNECTA Project team

Chris Germanacos, Team Leader; Transport Expert <u>chris.germanacos@connecta-ta.eu</u> Giorgos Xanthakos, Transport Key Expert, Deputy Team Leader <u>giorgos.xanthakos@connecta-ta.eu</u> Danijel Vuckovic, Project Manager <u>danijel.vuckovic@connecta-ta.eu</u> Seth Landau, Sustainability Expert <u>seth@ecoltdgroup.com</u>

> MOTT MACDONALD CONNECTA CONSORTIUM

www.connecta-info.eu